UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/802,280	03/08/2001	Michael R. Franceschini	RTN-098AUS	6871

33164   7590   10/01/2007
RAYTHEON COMPANY
C/O DALY, CROWLEY, MOFFORD & DURKEE, LLP
354A TURNPIKE STREET
SUITE 301A
CANTON, MA 02021

EXAMINER
CORRIELUS, JEAN B

ART UNIT	PAPER NUMBER
2611	

MAIL DATE	DELIVERY MODE
10/01/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
Office Action Summary	09/802,280	FRANCESCHINI ET AL.
	Examiner	Art Unit	
	Jean B Corrielus	2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>06 August 2007 and 14 August 2007</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-5,10 and 12-15* is/are pending in the application.

    4a) Of the above claim(s) _ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) *1-5,10 and 12-15* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

2.   Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jalali

6,421,333 in view of Jung et al US Patent No. 6,643,333.

As per claim 1, Jalali et al discloses spread spectrum RF communication system

fig. 1 comprising a convolutional encoder (note that the convolutional encoder is a type

of FEC encoder) to encode digital data to provide a plurality of symbol blocks see col.

2., lines 61-67 (note that at col. 2, lines 61-65 that Jalali teaches that each bit is

encoded to generate "m symbols", the "m symbols" is considered as the claimed

"symbol blocks") each of the plurality of symbol block includes a plurality of symbols; an

interleaver and multiplexer 16 and 16a configure to map each symbol of one of the

plurality of symbol blocks into a different one of the plurality of carriers (subbands) see

col. 3, lines 19-24; a Wash subband encoder 18.1-18.n to encode each symbol within

each one of the plurality of carriers (coherent subbands). Fig. 1 and fig. 2, Jalali

teaches that a plurality of carriers f1- fn (subbands) are used hence, a carrier generator

or exciter is inherently provided by Jalali. However, Jalali does not teach that each

subband includes two or more adjacent carriers it also fails to teach the additional

limitation of performing an IFFT on each one of the carriers (subbands) symbols. Jung

et al teaches at col. 3, lines 48-53 a **different group of carriers is allocated to two
data symbol in a block**. In addition, it further teaches an IFFT submodule configured to
perform an IFFT on each one of the carriers (subbands) symbols see col. 7, lines 19-20.
Given that fact, it would have been obvious to one skill in the art to modify Jalali by
providing a group of subbands having each at least two adjacent carriers and to allocate
each symbol to a different subbands in order to maximize the interval between the
center frequency of the subcarriers for a data symbol see col. 6, lines 14-16. In addition,
it would have been obvious to one skill in the art to in corporate an IFFT in Jalali in order
to facilitate the transmission of the signal in time domain. In addition, such modification
would have provided compatibility with existing receiver set to receive signal only in the
time domain.

As per claim 2, as applied to claim 1 above, Jalali discloses every feature of the
claimed invention but does not explicitly teach that the FEC encoder is a Reed Solomon
encoder. However, implementing a FEC encoder as a Reed Solomon encoder is old
and well known in the art. Given that fact, it would have been obvious to one skill in the
art to implement the FEC encoder as Reed Solomon encoder in order as to take
advantage of its enhance technological feature such as correction of up to a series of
number of errors in a N symbol codeword.

As per claim 3, it would have been obvious to one skill in the art to implement the
FEC encoder as a Turbo code in order as to take advantage of its enhance
technological feature such as such as low probability of having low weight codewords.

As per claim 4, the FEC encoder is a convolutional encoder. See fig. 1.

As per claim 5, Jalali further teaches a transmission security device 20.1-20.n to encrypt each one of the Walsh encoded symbol sets.

3.   Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jalali in view of Huang et al US Patent No. 6,519,731 and further in view of Jung et al US Patent No. 6,643,333.

Jalali et al discloses spread spectrum RF communication system and method (fig. 1) comprising a convolutionally encoding a digital data using encoder 12 to provide a plurality of code symbols (symbol groups) see col. 2, lines 61-65 (note that at col. 2, lines 61-65 that Jalali teaches that each bit is encoded to generate "m symbols", the "m symbols" is considered as the claimed "symbol blocks") each of the plurality of symbol block includes a plurality of symbols; an interleaver (16 and 16a) to map each one of the plurality of symbols groups across a plurality of carriers (coherent subbands) each symbol is mapped to a different one of the plurality of carriers (coherent subbands) see col. 3, lines 19-24; a Wash subband encoder 18.1-18.n to encode each symbol within each one of the plurality of subbands with walsh code. However, Jalali does not teach or fairly suggest that the further steps of forming data stream includes a plurality of packets and embedding each data packet into a physical layer by adding a header, and CRC information to each packet. It also fails to teach that the Walsh code is a low rate Walsh code. In addition, it fails to teach the FEC encoder is a Reed Solomon and performing an IFFT on each one of the carriers (subbands) symbols. Jalali does not teach that each subband includes two or more adjacent carriers. However, packetizing

a data information and adding a header and CRC information to each packet are old

and well known in the art. For instance, Huang et al discloses, fig. 2 the further

limitations of packetizing a data information and adding a header and CRC information

to each packet see fig. 2 and col. 3,lines 27-45. Given that fact, it would have been

obvious to one skill in the art to incorporate such a teaching in Jalali in order to ensure

that data is sent in block rather that a bit   by bit basis so as to enhance transmission

time in addition the occurrence of error in the received would have been kept at

minimum. In addition, it would have been obvious to one skill in the art to use low rate

Walsh code in order to be able to low rate signal such as voice signal. In addition, it

would have been obvious to one skill in the art to implement the FEC encoder as Reed

Solomon encoder in order as to take advantage of its enhance technological feature

such as correction of up to a series of number of errors in a N symbol codeword.

Furthermore, Jung et al teaches at col. 3, lines 48-53 a **different group of carriers is

allocated to two data symbol in a block**. In addition, it further teaches an IFFT

submodule configured to perform an IFFT on each one of the carriers (subbands)

symbols see col. 7, lines 19-20. Given that fact, it would have been obvious to one skill

in the art to modify Jalali and Huang by providing a group of subbands having each at

least two adjacent carriers and to allocate each symbol to a different subbands in order

to maximize the interval between the center frequency of the subcarriers for a data

symbol see col. 6, lines 14-16.

4.   Claims 12-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Jalali 6,421,333 in view of Jung et al US Patent No. 6,643,333.

As per claim 13, Jalali et al discloses spread spectrum RF communication

system fig. 1 comprising a convolutional encoder (note that the convolutional encoder is

a type of FEC encoder) to encode digital data to provide a plurality of symbol blocks see

col. 2., lines 61-67 (note that at col. 2, lines 61-65 that Jalali teaches that each bit is

encoded to generate "m symbols", the "m symbols" is considered as the claimed

"symbol blocks") each of the plurality of symbol block includes a plurality of symbols; an

interleaver and multiplexer 16 and 16a configure to map each symbol of one of the

plurality of symbol blocks into a different one of the plurality of carriers (subbands) see

col. 3, lines 19-24; a Wash subband encoder 18.1-18.n to encode each symbol within

each one of the plurality of carriers (coherent subbands). Fig. 1 and fig. 2, Jalali

teaches that a plurality of carriers f1- fn (subbands) are used hence, a carrier generator

or exciter is inherently provided by Jalali. However, Jalali does not teach the additional

limitation of performing an IFFT on each one of the carriers (subbands) symbols it fails

to teach each subband includes two or more adjacent carriers. It also fails to teach that

the encoder is a RS-encoder and a subband filter to excise a frequency subband to

prevent interference. Jung et al teaches at col. 3, lines 48-53 a **different group of**

carriers is allocated to two data symbol in a block. In addition, it further teaches an

IFFT submodule configured to perform an IFFT on each one of the carriers (subbands)

symbols see col. 7, lines 19-20. Given that fact, it would have been obvious to one skill

in the art to modify Jalali by providing a group of subbands having each at least two

adjacent carriers and to allocate each symbol to a different subbands in order to

maximize the interval between the center frequency of the subcarriers for a data symbol

see col. 6, lines 14-16. In addition, it would have been obvious to one skill in the art to in

corporate an IFFT in Jalali in order to facilitate the transmission of the signal in time

domain. In addition, such modification would have provided compatibility with existing

receiver set to receive signal only in the time domain. Note that at col. 2, lines 56-58

that it is advantageous to disposed unused frequency bands between the subcarriers.

Given that fact, it would have been obvious to one skill in the art to excise a frequency

band in Jalali in order to minimize transmission errors as taught by Jung et al see col. 2,

lines 61-62. In addition, implementing a FEC encoder as a Reed Solomon encoder is

old and well known in the art. Given that, it would have been obvious to one skill in the

art to implement the FEC encoder as Reed Solomon encoder in order as to take

advantage of its enhance technological feature such as correction of up to a series of

number of errors in a N symbol codeword.

As per claim 12, Jalali discloses a security device (20) coupled to Walsh encoder

18 note that with the inclusion of Jung et al, the security device will be coupled to the

IFFT).

5.   Claim 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Jalali 6,421,333 in view of Jung et al US Patent No. 6,643,333 and further in view of

Rakib et al US patent No. 6,426,983.

As per claim 14, applied to claim 13 above, Jalali and Jung teach every feature

of the claimed invention but do not explicitly teach that a corresponding subband filter is

used in the receiver to excise a frequency subband as in the transmitter. Rakid teaches

a subband filter at the receiver to excise (erase) bin (subband) infected by interfering

signal see summary of the invention. Given that, it would have been obvious to one skill in the art to modify Jalali and Jung by inserting a corresponding subband filter in the receiver in order to remove interference signal so as to improve signal detection.

As per claim 15, it would have been obvious to one skill in the art to select a different mapping in the receiver and the transmitter that avoid mapping symbols into excised subbands because if data were allowed to be mapped in the excised channel (subband) signal lost would have resulted since the signal would have been included in a removed or non-existent subband.

Response to Arguments

6.   Applicant's arguments with respect to claims 1-5, 10, 12-15 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7.   Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Monday-Thursday from 9:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571-272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jean B Corrielus
Primary Examiner
Art Unit 2611

9-27-07